PubMed	antivenin or antivenom) crotalus fab
isplay Settings	Summary, 20 per page, Sorted by Recently Added Filter your results: All (37)
	s about fab gene function Memore Sens
	www.vi senituse in the Gene database
	COLS ANY MET SUITS: ALITHUS (RELEASED BY A SAME SUITS) ESCRIPTION OF ANY MET SUITS AND ANY MET SUITS
	Anna Micros Burgo, Burgo, No. 19 Decentatives Mannes, Laster, 1 Grand Burgo, Burgo, Marches, Control State (Marches)
esults: 1 to	20 of 37
	persistent, or late, new-onset hematologic abnormalities in Crotaline snakebite.
	I Kirschner R, Martin N. (Phila). 2011 Apr./9(4) 324-9. doi: 10.3109/15563650.2011.566883.
	Phila) 2011 Apr;49(4) 324-9 doi: 10.3109/15563650.2011.566863. 903(Pub3ed - indexed for MEDUIVE)
	volto marchi
	polyvalent immune Fab; in patients with North American crotatine envenomation.
Keating GM	/l. I11 Apr 1 25(2) 69-76. doi; 10 2165/11207250-00000000-00000, Review
	27 (PubMed - invested for ME OLIVE)
in vitro eva	signation of total venom-antivenin immune complex formation and binding parameters relevant to antivenin protection
against ve	nom toxicity and lethality based on size-exclusion high-performance liquid chromatography.
Sanny CG.	1 May 57(6) 2671-81. Epub 2011 Mar 15.
	502(Papaled - In process)
1 Manageme	ant of venomous snakebite injury to the extremities.
	chweppe M, Halvorson J, Bushnell B, Sternberg M, Andrew Koman L.
	Orthop Surg. 2010 Dec;18(12):749-59. Review.
FMID 21119	14 (PubMed - superand for MEGLIAVE)
Late hema	tologic toxicity following treatment of rattlesnake envenomation with crotalidae polyvalent immune Fab antivenom.
	Curry SC, Albrecht C, Riley B, Pizon A.
	1 Jan,57(1) 53-9. Epub 2010 Oct 8. 516(P):6\sec = incessed act MECALPHET
F Settle Veligibility	b-of-contact increases and security (
	coaquiopathy and thrombocytopenia in children treated with crotalidae polyvalent immune tab; a case series.
	Young MC, DeMott MC, Ly BT, Clark RF. 1g Care. 2010 Aug 26(8):576-82.
	GGBP-ENION AUG-20(0)-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0
Successfu	treatment of South American rattlesnake (Crotalus durisaus terrificus) envenomation with Crotalidae polyvatent immunu
Fab (CroF	
	Ritter SC, Cannon RD.
	bl. 2011 Mar.7(1):44-6. No abstract available. 22 (PhysMed - Index-et for MEDILINE)
	clinical medicine. Rattiesnalie envenomation.
Levine M, I	Huha AM. d. 2010 Jun 10;362(23):2212 No abstract available.
	372[Probled Indexes by MEDLINE] Free Article
Subcutane	ous Crotaline Fab antivenom for the treatment of rattlesnake envenomation in a porcine model.
Offerman S	SR, Barry JD, Richardson WH, Tong T, Tanen D, Bush SP, Clark RF.
	Phila). 2009 Jan;47(1):61-8
PMID 19153	352 Pulukker - Indexes kur MEDUNE
	hemorrhage after western diamondback ratilesnake envenomation treated with crotalidae polyvalent immune fab (ovine)
	Feperman SH, Touger M.
	Phila): 2008 Nov.46(9) 823-6. 29/3P/www.rs-indowed-iy: #4EDLINE]
- PERMITTEE	to the remover of the second section of
Rattlesnak	
 Pittman HJ 	

Nursing 2008 Apr 38/4) 72. No abstract available PMID 18380099PubMed - Indexed for MEGLINET Acute hypersensitivity reactions associated with administration of crotalidae polyvalent immune Fab antivenom. 12 Cannon R. Ruha AM, Kashani J. Ann Emerg Med. 2008 Apr;51(4):407-11. Epub 2008 Jan 11... PMID:18191286[P-MMed - Indexed for MEGLINE] Rattlesnake envenomation with neurotoxicity refractory to treatment with crotaline Fab antivenom. 13 Richardson WH, Goto CS, Gutglass DJ, Williams SR, Clark RF. Clin Toxicol (Phila). 2007 Jun-Aug 45(5):472-5. PMID 178032NRP-bMed Indexed to MEDLINET CroFabtrade mark total anti-yenom activity measured by SE-HPLC, and anti-PLA(2) activity assayed in vitro at physiological pH. 14. Price JA 3rd, Sanny CG. Toxicon. 2007 May 49(6):848-54. Epub 2006 Dec 28 PMID 17281322[Pill-Med - Indexed No MEDUNE] Southern Pacific Rattlesnake bite: a unique cinical challenge. 15 Wasserberger J. Ordog G. Merkin TE. J Emerg Med. 2006 Oct;31(3):263-6. PMID:18982358[PubMed - indexed for MEDUNE] 🍘 Crotalidae polyvalent immune Fab (ovine) antivenom is effective in the neutralization of South American viperidae venoms in a 16 murine model. Richardson WH 3rd, Tanen DA, Tong TC, Betten DP, Carstairs SD, Williams SR, Cantrell FL, Clark RF, Ann Emerg Med 2005 Jun;45(6):595-602 PMID: IS940091IP-II-Med - indexed for MEDLINET Conservative management of delayed, multicomponent coagulopathy following rattlesnake envenomation. 17. Camilleri C, Offerman S, Gosselin R, Albertson T. Clin Toxicol (Phila), 2005;43(3) 201-6. PMID 15902796(PUSANG - Indexed for MEDUNE) Rattlesnake envenomation to the face of an infant, 18 Richardson WH 3rd, Barry JD, Tong TC, Williams SR, Clark RF, Pediatr Emerg Care 2005 Mar,21(3) 173-6. PMID:15744198[PurMerr - indexed for MEDUNE]

Report of two cases: Rattlesnake venom-induced thrombocytopenia.

19 Odeleye AA, Presley AE, Passwater ME, Mintz PD.

Ann Clin Lab Sci. 2004 Autumn;34(4):467-70. PMID:10646770[PubMed - indexed for MEDLINE]

PMID 16643094[PubMed - Rivered for MEDLIFFE]

Envenomation by the Northern Blacktail Sattlesnake (Crotalus molossus molossus): case report.

20 Yarema MC, Curry SC. Pediatr Emerg Care 2005 Jan 21(1):40-2

Put	oMed	(antivenin or antivenom) bothrops atrox fab	
	ay Settings	Summary, 20 per page, Sorted by Recently Added	Filter your results: All (11)
		es about fab gene function	Manage Steen
1000		es about 180 gerre function oxewyl swill use in the Gene database	
		<u>divisity. Who gaze</u> in the Gene database Dodus autous subus, aureus 1915 Hagungabitus gammus 1997 Functivades necessamense WA.	Lauria Conn ma ver
lab	III SERIESTANA	aktora antitus, suude laaseks reese rasturasiaves sammes laster. Sessentiama intervisionement, tee	2 <u>59 11 58098 18505 98</u>
Res	sults: 11		
1	Morais V, I	sensin digestion on the antivenom activity of equine immunoplobulins. Massaldi H. 05 Dec 15,46(8) 876-82. Epub 2005 Nov 2.	
		5090(Published Industed for MEDLINE)	
2	murine mo		
		n WH 3rd, Tanen DA, Tong TC, Betten DP, Carstairs SD, Williams SR, Cantrell FL, Cl Med. 2005 Jun;45(6):595-602.	lark RF.
	PMIQ.15940	009 [[Poolwerl - Indiamed for MED LINE]	
83	Cross read	ctivity of three antivenoms against North American snake venoms,	
	Toxicon. 200	EE, Ramírez MS, Galán JA, López G, Rodríguez-Acosta A, Pérez JC. 03 Mar 1;41(3):315-20.	
	PMID.12865	5754[PubMed - Wilesed for MEDLINE]	
4	Chaves F,	ular administration of antivenoms in experimental envenomation by Bothrops aspe Loria GD, Salazar A, Gutlérrez JM.	er: comparison between Fab and IgG.
		03 Feb;41(2):237-44. 57-6/PobMed = #V9red for MEGU/RE (
5.	venom in r León G, M	on between isG and F(ab)(2) polyvalent antivenoms; neutralization of systemic affe nibe, extravasation to muscle dissue, and potential for induction of adverse reaction longe M, Rojas E, Lomonte B, Gutlérrez JM.	ects induced by Bothrops asper 1 <u>5.</u>
		7538[Publind - Indexed for MEDLINE]	
ā	induced by León G, Va Toxicon 200	ive skidy on the ability of IgG and Fab sheep antivenoms to neutralize local hemory **Rothrops asper (tercipole); snake venom, alverde JM, Rojac G, Lomonte B, Gutiérrez JM, **Or Feb 38(2) 233-44. **Or Feb 38(2) 233-44.	thage, edems and myonecrosis
2002	Mandaniina	tion of local tissue damage induced by Bothrops asper (terciopelo) snake venom.	
7.	Gutiérrez J	MM, León G, Rojas G, Lomonte B, Rucavado A, Chaves F. 98 Nov.36(11):1529-38.	
	P5810.97991	U3(PubMed Invaced to: MES/CEVE)	
3.	induced by León G, Re	obalin G and F(ab')2 polyvalent antivenoms do not differ in their ability to neutralize y Bothrops asper (terciopelo) snake venom. ojas G, Lomonte B, Gutiérrez JM. 97 Nov38(1) 1967-37	hemoninage, edema and myonecrosis
	Page (Sage)	ON(PubMea - mile and for MEDI INE)	
2	snake bite Moura-da-	Silva AM, Laing GD, Paine MJ, Dennison JM, Politi V, Crampton JM, Theakston RD.	plaining local tissue damage following
		nol: 1996 Sep.26(9):2000-5 ?37(Pubwerd - Indexect for MEDLINE)	
10	Thomas L, Lancet 1996	sion of a purified monospecific F(atr)2 antivenom serum for Bothrops lanceolatus , Tyburn B, Lang J, Ketterle J. 6 Feb 10:347(8989):406. No abstract available , 387(pubbles : 1864 and to 18:E01.NET)	bites in Martinique.

- Snake antivenoms from hyperimmunized horses: comparison of the antivenom activity and biological properties of their whole IgG
- 11 and F(ab')2 fragments. Morais JF, de Freitas MC, Yamaguchi IK, dos Santos MC, da Silva WD. Toxicon, 1994 Jun 32(6):725-34

PMiD 7940578[PolMed - Indexed for ME ULINE]

Pub	oMed	(antivenin or antivenom) crotalus fab		
Displa	ay Settings	Summary, 20 per page, Sorted by Recently Added	Filter your results: All (37)	
Res	ults: 21 1	to 37 of 37	Manage Filters	
	Effectivene	ess of delayed use of crotalidae polyvalent immune Fab (ovine) antivenom.		
	Bebarta V,			
		n Toxicol 2004;42(3) 321-4		
	PNATE: 15362	PECRPUSAGE - Indexed for MED (INE)		
m	Neutralization of venoms from two Southern Pacific Rattlesnakes (Crotalus helleri) with commercial antivenoms and endo			
22 animal sera.		3.		
		Sánchez EE, Rodríguez-Acosta A, Pérez JC.		
		04 Jun 1 (43(7):791-9. 6013P-0486gt - indexes for 965 DUNE)		
	THE THE	and and an an analy		
		ny worsens the amount of myonecrosis in a porcine model of crotaline envenomation	n.	
		, Danish DC, Grice GA, Riffenburgh RH, Clark RF. Med. 2004 Aug;44(2):99-104.		
		97/9[PubMed - indexed for MEDLINE]		
2057	D. (
		rthrombocytopenia despite treatment for rattlesnake envenomation. Barish RA, Rudman MS.		
		id. 2004 Apr 29;350(18) 1912-3; discussion 1912-3. No abstract available.		
		5843[PushAss- Indexed for MEDUNE]		
100.00	Efficación af	f Crotalidae polyvalent antivenin for the treatment of hognosed viper (Porthidium n	e or drawn) and company attention	
		Wiener SW, Touger M, Nelson LS, Hoffman RS.	assigni, envenionation.	
		Med. 2003 Mar,41(3):391-5.		
	PMID 12605	297/PubMen - Indexed for MEDUNE		
2015	Crotalidae	polyvalent immune Fab antivenom limits the decrease in perfusion pressure of the	e anterior lea compartment in a	
		otaline envenomation model.		
		, Danish DC, Clark RF.		
		Med. 2003 Mar.41(3):384-90. (2008 Pursikers - Indexted for MRED LINE)		
	PRINCE LEGGS	Scadio noward - with a sector out of		
		ctivity of three antivenoms against North American snake venoms.		
		E, Ramírez MS, Galán JA, López G, Rodríguez-Acosta A, Pérez JC.		
		03 Mar 1,41(3):315-20. C7S4(Fuoxitied - Indexed for MED LINE)		
		polyvalent immune Fab (ovine) antivenom is efficacious for envenomations by Sc	outhern Pacific rattlesnakes (Crotalu:	
	helieri). Buch SD (Green SM, Moynihan JA, Hayes WK, Cardwell MD.		
		Med. 2002 Dec;40(6) 619-24.		
	PMIEL12447	33'NPushker - Indexed for MED (INE)		
600	Rattlaenali	e bites in children; antivenin treatment and surgical indications.		
		Hosalkar HS.		
	J Bone Joint	t Surg Am 2002 Sep;84-A(9):1624-9		
	PMID.12208	3970[Futilitier] - Helested for MED LINE]		
pr.	Two cases	s of rattlesnake envenomation with delayed coaguiopathy		
		Dyer JE, Olson KR.		
	Ann Emerg N	Med. 2002 Mar 39(3):348. No abstract available.		
	P\$#10 11887	1936[Published - Wileked for MEDUME]		
85	Successfu	il treatment of crotalid-induced neurotoxicity with a new polyspecific crotalid Fab an	ntivenom.	
		Williams SR, Nordt SP, Boyer-Hassen LV.		
	Ann Emerg N	Med. 1997 Jul 30(1) 54-7.		
	PMID 92092	PubMed - inverse for MEC/LPVE		
2000				

Relationship of venom effects to venom antipen and antivenom serum concentrations in a patient with Crotalus strox envenomation treated with a Fab antivenom.

Seifert SA, Boyer LV, Dart RC, Porter RS, Sjostrom L.

Ann Emerg Med 1997 Jul 30(1):49-53.

PMID saugges(PupMed - indexed for MEOLINE)

Comparison of a new ovine antigen binding fragment (Fab) antivenin for United States Crotalidae with the commercial antivenin

53. for protection against venom-induced lethality in mice.

Consroe P, Egen NB, Russell FE, Gerrish K, Smith DC, Sidki A, Landon JT.

Am J Trop Med Hyg. 1995 Nov;53(5):507-10

PMID 7485708(PubMed - mile and for MEDLINE)

Snake antivenoms from hyperimmunized horses: comparison of the antivenom activity and biological properties of their whole IgG and Flab*/2 fragments.

Morais JF, de Freitas MC, Yamaguchi IK, dos Santos MC, da Silva WD.

Toxicon, 1994 Jun;32(6):725-34.

PMID:2940578[Put/Arti-Indexed for MEDUNE]

A comparison of ovine and equine antivenoms.

35 Sjostrom L. al-Abdulla IH. Rawat S. Smith DC. Landon J.

Toxicon, 1994 Apr;32(4):427-33.
PMID:8052337[PubNet - indexed for MEDLINE]

Neutralization of kinin-releasing enzymes of crotalid venoms by monospecific and polyspecific antivenoms.

36 Bailey GS, al-Joufi A, Rawat S, Smith DC.

Toxicon, 1991;29(6):777-81.

PMIO 1996179(PubMert - INSK and for MEDLINE)

Purification of F(ab')2 anti-snake venom by caprylic acid: a fast method for obtaining loG fragments with high neutralization activity.

37 purity and yield.

dos Santos MC, D'Império Lima MR, Furtado GC, Colletto GM, Kipnis TL, Dias da Silva W.

Toxicon. 1989;27(3):297-303.

PMID:2729022[Puthled - Indexed for MEDUNE]

PubMed details Page 1 of 1

PubMed

(antivenin or antivenom) crotalus fab

Search Details

Query Translation:

OR "antivenin" [All Fields]) OR ("antivenins" [MeSH Terms]
OR "antivenins" [All Fields] OR "antivenom" [All Fields])) AND (("crotalus" [MeSH Terms] OR "crotalus" [All Fields]) AND

Search URL

Result:

37

Translations:

"antivenins" [MeSH Terms] OR "antivenins" [All Fields] OR "antivenin" [All Fields] antivenin antivenom "antivenins" [MeSH Terms] OR "antivenins" [All Fields] OR "antivenom" [All Fields] "crotalus" [MeSH Terms] OR "crotalus" [All Fields] crotalus

Database: PubMed

User query:

(antivenin or antivenom) crotalus fab

Pu	bMed	(antivenin or antivenom) crotalus		
Disp	lay Settings	Summary, 20 per page, Sorted by Recently Added	Filter your results: All (283)	
Re	sults: 1 to	20 of 283	Manage Flears	
1.	Durban J, JJ. BMC Genon	ne venom giand franscriptomes of Costa Rican snakes by Juárez P, Angulo Y, Lomonte B, Flores-Diaz M, Alape-Girón nics 2011 May 23:12:259 378[P&AMed in proces] Pres PMC Article	454.prroseausciaing. A, Sasa M, Sanz L, Gutiérrez JM, Dopazo J, Conesa A, Calvete	
2	Recurrent, persistent, or late, new-onset hematologic abnormalifies in Crotaline snakebite, Seifert SA, I Kinschner R, Martin N. Clin Toxicol (Phila), 2011 Apr./84(9) 428-9 doi:10.3109/15563650.2011.566883 PAID 215/83088			
3		anagement of copperhead snakebite. Morrison RL.		
,	J Am Coll Si	urg. 2011 Apr;212(4):470-4; discussion 474-5. (77)[Pwww.r-indexed for MEDLINE]		
	Crotalidae Keating GI	polyvalent immune Fab; in patients with North American o	rotaline envenomation.	
	BioDrugs 2	011 Apr 1:25(2):69-76. doi: 10:2165/11207250-000000000-00000. Re 1271[PubMed - Indexed for MEDUINE]	ziew.	
5.	Sanny CG Toxicon 20	nom toxicity and lethality based on size-exclusion high-pe-	on and binding parameters relevant to antivenin protection formance liquid shromatography.	
6.	Fielding Cl J Am Vet Me	ve envenomation in horses: 59 sases (1992-2009). L. Pusterla N. Magdesian KG, Higgins JC, Meier CA. dd Assoc 2011 Mar 1238(5) 831-5.		
	LaMonica J Reprod Me	se bites in pregnant women, GE, Seifert SA, Rayburn WF, dl. 2010 Nov-Dec55(11-12)/520-2- 048[PossMet : Implemed for MEDLINE]		
8	Gomes M7 Toxicon, 20		in sphingomyelin/cholesterol liposomes containing horseradish aim OM, Velga SS, Oliveira SC, Chávez-Olórtegui C.	
9.	Bothrops a Dos-Santo Toxicon 20	on of the effect of Crotalus simus and Crotalus durissus re aspet venom: implications for the production of polyaspecific & MC, Arroyo C, Solano S, Herrera M, Villalta M, Segura A, 11 Feb.57(2) 237-43. Epub 2010 Dec 2 11 PP Mobilest - Indexed ID MCDI NEI	snake antivenoms.	
	Anz AW, S J Am Acad C	ent of xenomous snakebite injury to the extremities, ichweppe M, Halvorson J, Bushnell B, Sternberg M, Andrew Orthop Surg. 2010 Dec;181(2):749-59. Review.	Koman L.	
11	Ruha AM, Toxicon 20	atologic toxicity following freatment of rattlesnake enveron Curry SC, Albrecht C, Riley B, Pizon A. 11 Jan 57(1) 53-9. Epub 2010 Oct 8 5/18/PubMez - Indiesel for MEDLINEI]	ation with crotakiae polyvalent immune Fab antivenom.	

	Human cytokine response to Texas crotaline envenomation before and after antivenom administration, Crocker P, Zad O, Milling T, Maxson T, King B, Whorton E. An J Erney Med 2010 0ct 20(8) 1971 – Epib 2010 Mar 25.
	PMID 2016079GG[PschMed - Investor for MEGLINE]
	in vitro antiophidian properties of Dipteryx stata Vogel bank extracts.
13.	Nazato VS, Rubern-Mauro L, Vieira NA, Rocha-Junior Ddos S, Silva MG, Lopes PS, Dal-Belo CA, Cogo JC, dos Santos MG, da Cruz- Höfling MA, Oshima-Franco Y. Molecules. 2010 Aug 30;15(9):9586-70.
	PARD 20077266(PubMed - Incorned for MECLIFIE)
	Snake bite envenomation: experience at King Abdulaziz Medical City, Rivadh.
14,	Al-Durihim H, Al-Hussaini M, Bin Salih S, Hassan I, Harakati M, Al Hajjaj A. East Mediterr Health J. 2010 Apr;16(4):438-41.
	East Medical Health 3, 2010 Apr, 10(4), 4,004.
	Recurrent coagulopathy and thrombocytopenia in children treated with crotalidae polyvalent immune fab: a case series.
15	Miller AD, Young MC, DeMott MC, Ly BT, Clark RF. Pediatr Emerg Care. 2010 Aug 26(8) 576-82.
	PMID 2096066(PubMed Indexed to MEGLINE)
	Successful treatment of South American rattlesnake (Crotalus durissus terrificus) envenomation with Crotalidae polivvalent immune Eab (CroFab. ¹⁴).
	Lynch MJ, Ritter SC, Cannon RD.
	J Med Toxicol, 2011 Mar,7(1):44-6. No abstract available.
	PMiD 2068622 (PobMed - moreor for MEDLIVE)
200	Stenosing flexor tenosynovitis following a rattlesnake bite.
17	Lee L, Yao J.
	Orthopedics, 2010 Jul 13;33(7):515. doi:10.3928/01477447-20100526-20.
	PMID STRUBBEN(PubMed - Investor for MEGLINE)
20%	Large snake size suggests increased snaketite severity in patients bitten by rattlesnakes in Southern patifornia.
18	
	Wilderness Environ Med. 2010 Jun;21(2) 120-6, Epub 2010 Feb 4
	PMID 20861373[PHMed - indexes to MEDLINE]
\$175	Sensationalistic journalism and tales of snakebite: are rattlesnakes rapidly evolving more toxic venom?
19.	
	Wilderness Environ Med. 2010 Mar;21(1):35-45. Epub 2010 Jan 25.
	PMID 20581352[Putaked - Indexed Az ME DLINE]
100	Snake venomics of Bothniechis nigroviridis reveals extreme variability among palm pitviper venoms; different evolutionary solutions
	for the same trophic purpose
	Fernández J, Lomonte B, Sanz L, Angulo Y, Gutiérrez JM, Calvete JJ.
	J Proteome Res. 2010 Aug 6,9(8) 4234-41
	PMID 20890 136[PwiMed - Indexido ku MEDLINE]